

**Listing of Claims**

The claims are listed herein for convenience and ease of reference.

**Listing of Claims:**

1. (Previously presented) A substantially purified peptide of a promyostatin polypeptide, the peptide comprising a promyostatin signal peptide domain corresponding to amino acid residues from about 1 to 20 of a full length promyostatin polypeptide, wherein the promyostatin polypeptide is selected from the group consisting of human (SEQ ID NO:2), murine (SEQ ID NO:4), rat (SEQ ID NO:6), chicken (SEQ ID NO:8), baboon (SEQ ID NO:10), bovine (SEQ ID NO:12), porcine (SEQ ID NO:14), and ovine (SEQ ID NO:16).

2.-33. (Canceled).

34. (Previously presented) A substantially purified peptide of a promyostatin polypeptide, the peptide comprising a promyostatin prodomain corresponding to amino acid residues about 20 to 262 or 263 of a full length promyostatin polypeptide, wherein the promyostatin polypeptide is selected from the group consisting of human (SEQ ID NO:2), murine (SEQ ID NO:4), rat (SEQ ID NO:6), chicken (SEQ ID NO:8), baboon (SEQ ID NO:10), bovine (SEQ ID NO:12), porcine (SEQ ID NO:14), and ovine (SEQ ID NO:16).

35.-36. (Canceled).

37. (Previously presented) The peptide of claim 34, wherein the promyostatin prodomain corresponding to amino acid residues about 20 to 262 of the promyostatin polypeptide is selected from the group consisting of SEQ ID NO: 2; SEQ ID NO: 10; SEQ ID NO: 12; SEQ ID NO: 8; SEQ ID NO: 18; SEQ ID NO: 14; and SEQ ID NO: 16.

38.-39. (Canceled).

40. (Previously presented) A substantially purified peptide of a promyostatin polypeptide, the peptide comprising a promyostatin myostatin domain corresponding to amino acid residues about 267 or 268 to 374 or 375 of a full length promyostatin polypeptide, wherein the promyostatin polypeptide is selected from the group consisting of human (SEQ ID NO:2), murine (SEQ ID NO:4), rat (SEQ ID NO:6), chicken (SEQ ID NO:8), baboon (SEQ ID NO:10), bovine (SEQ ID NO:12), porcine (SEQ ID NO:14), and ovine (SEQ ID NO:16).

41.-42. (Canceled).

43. (Previously presented) The peptide of claim 40, wherein the myostatin domain corresponding to amino acid residues about 267 to 374 of the promyostatin polypeptide is selected from the group consisting of SEQ ID NO: 2; SEQ ID NO: 10; SEQ ID NO: 12; SEQ ID NO: 8; SEQ ID NO: 18; SEQ ID NO: 14; and SEQ ID NO: 16.

44. (Allowed) A substantially purified peptide of a promyostatin polypeptide, the peptide comprising a promyostatin prodomain comprising:  
amino acid residues from about 1 to 44 of SEQ ID NO:27; or  
amino acid residues from about 1 to 23 of SEQ ID NO:29.

45. (Allowed) A substantially purified peptide of a promyostatin polypeptide, the peptide comprising a promyostatin myostatin domain comprising:  
amino acid residues from about 49 to 157 of SEQ ID NO: 27; or  
amino acid residues from about 28 to 136 of SEQ ID NO: 29.

46. (Previously presented) The peptide of claim 34, wherein the promyostatin prodomain corresponding to amino acid residues from about 20 to 263 of the full length promyostatin polypeptide is set forth in SEQ ID NO: 4 or SEQ ID NO: 6.

47. (Previously presented) The peptide of claim 40, wherein the promyostatin myostatin domain corresponding to amino acid residues from about 268 to 375 of the full length promyostatin polypeptide is set forth in SEQ ID NO: 4 or SEQ ID NO: 6.